

Item Price	Order no.:
B400 standard - £2495.00	
B400 advanced - £2978.00	-----

B400 standard

Power wheelchair

B400 advanced

E65UK

Maximum load capacity: 140 kg/309 lbs¹
Article number: 490E65=00000_C

<input type="checkbox"/> Provide estimate only	<input type="checkbox"/> Order
Billing address/customer number	
Delivery address	
Sales person	Name
 Date Signature
<p>By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.</p>	



Standard equipment B400 standard

- 7.2 km/h (limited to 6 km/h in Germany)
- VR2 control unit
- Control panel holder, standard
- Two 53 Ah (C5) AGM batteries
- Battery charger
- 9" caster wheels
- Rims, black
- Pneumatic tyres with lug tread, grey
- Standard seat
- Seat cushion
- Armrests with clothing protector
- Individual footrests with plastic footplates
- Drive wheel suspension
- Frame colour Frame colour black or cream white
- Lap belt with buckle
- Electrical light for footpaths


Standard equipment Model B400 advanced

- 7.2 km/h
- R-net control unit with monochrome display
- Control panel holder, standard
- Two 53 Ah (C5) AGM batteries
- Battery charger
- 9" caster wheels
- Rims, black
- Pneumatic tyres with lug tread, grey
- Standard seat
- Seat cushion
- Armrest, standard, with clothing protector
- Individual footrests with plastic footplates
- Suspension on drive unit sustainer
- Frame colour Frame colour black or cream white
- Lap belt with buckle
- Electrical light for footpaths

Basic data (voluntary information)

Gender _____ Indication _____

Age _____ Paying party _____



Mandatory information*

Body height in cm _____

Body weight in kg _____

1 Seat depth _____

2 Trunk depth _____

3 Armrest height _____

4 Armpit height _____

5 Shoulder height _____

6 Head height _____

7 Forearm length to the middle of the palm _____

8 Trunk width _____

9 Lower leg length _____

10 Seat width _____

* This information will help to support user-oriented settings and product development. Ottobock guarantees the confidential and purely internal use of these data.

Information



ES 05 Electric lighting for road traffic



EB 20 Mechanical footrests



EA 10 Splash guard, complete



EF 03 Mechanical caster wheel swivel lock



ES 38 Rear-view mirror



ES 42 Luggage carrier



EF 04 Curb climbing assist



EC 24 Contour seat with deep contours
EC 26 Synthetic leather cover

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders. Please use the spare parts catalogue for spare parts orders.

Standard seat			
EC 18	<input type="checkbox"/>	Standard seat, Junior (SD 34 ... 40 cm, SW 34 ... 40 cm)	£130.00
EC 01	<input type="checkbox"/>	Standard seat, small (SD 38 ... 46 cm, SW 38 ... 42 cm)	Inclusive
EC 02	<input type="checkbox"/>	Standard seat, large (SD 42 ... 50 cm, SW 43 ... 48 cm)	Inclusive
Settings for the standard seat			
Back angle	<input type="checkbox"/> -9/1/11/21°	<input type="checkbox"/> 0/10/20/30°	
Seat inclination SI	<input type="checkbox"/> 0°	<input type="checkbox"/> 3°	<input type="checkbox"/> 6°
Seat inclination of 6° not possible with mechanical seat tilt! Seat inclination of 0° not possible with seat height 40 cm in combination with mechanical seat tilt; seat inclination of 3° and 6° not possible with electric seat tilt!			
Seat depth SD in cm	<input type="checkbox"/> 34	<input type="checkbox"/> 36	<input type="checkbox"/> 38 cm <input type="checkbox"/> 40 <input type="checkbox"/> 42 <input type="checkbox"/> 44 <input type="checkbox"/> 46 <input type="checkbox"/> 48 <input type="checkbox"/> 50
Seat width SW cm		
Lower leg length LL cm (25 ... 49 cm) without seat cushion		
Seat height SH in cm	<input type="checkbox"/> 40	<input type="checkbox"/> 45	<input type="checkbox"/> 50
Note: In case of 3° seat inclination, without seat cushion, depending on lower leg length; seat height less lower leg length equals ground clearance, a minimum of 6 cm is recommended. Seat height 40 cm not possible with standard seat, large; seat height 40 cm not possible with standard seat in combination with electric seat tilt 45°!			

Seat cushion (only for standard seat)			
EC 06	<input type="checkbox"/>	Seat cushion, black covered (standard equipment) (seat cushion thickness 50 mm)	Inclusive
EC 10	<input type="checkbox"/>	Seat cushion with incontinence cover (seat cushion thickness 50 mm)	£35.00
EC 07	<input type="checkbox"/>	Without seat cushion	Inclusive
MC 02	<input type="checkbox"/>	Cubic Foam seat cushion (thickness 5 cm)	£76.00
MC 05	<input type="checkbox"/>	Evolight seat cushion (thickness 6 cm, up to 125 kg/275 lbs)	£143.00
MC 20	<input type="checkbox"/>	Terra seat cushion (thickness 10 cm)	£149.00
MC 21	<input type="checkbox"/>	Terra Aquos seat cushion (thickness 10 cm)	£168.00
MC 22	<input type="checkbox"/>	Terra Flair seat cushion (thickness 10 cm)	£310.00
MC 23	<input type="checkbox"/>	Cloud seat cushion (thickness 10 cm)	£416.00
MC 24	<input type="checkbox"/>	Advantage seat cushion (thickness 10 cm, up to 125 kg/ 275 lbs)	£403.00
MC 25	<input type="checkbox"/>	Z-Flo seat cushion (thickness 7 cm)	£171.00

Contour seat			
EC 03	<input type="checkbox"/>	Contour seat, small (SD 36 ... 44 cm, SW 38 ... 42 cm) (up to 160 kg/ 352 lbs; seat cushion thickness 50 mm)	£592.00
EC 04	<input type="checkbox"/>	Contour seat, large (SD 42 ... 48 cm, SW 43 ... 48 cm) (up to 200 kg/440 lbs; seat cushion thickness 50 mm)	£592.00
Contour type			
EC 23	<input type="checkbox"/>	With flat contours	Inclusive
EC 24	<input type="checkbox"/>	With deep contours	Inclusive
Cover type			
EC 25	<input type="checkbox"/>	Fabric cover	Inclusive
EC 26	<input type="checkbox"/>	Synthetic leather cover	£40.00
EC 27	<input type="checkbox"/>	Incontinence cover (can be ordered in addition to option code EC 25)	£28.00
Settings for the contour seat			
Seat depth SD in cm	<input type="checkbox"/> 36	<input type="checkbox"/> 38	<input type="checkbox"/> 40 <input type="checkbox"/> 42 <input type="checkbox"/> 44 <input type="checkbox"/> 46 <input type="checkbox"/> 48
Seat width SW cm		
Lower leg length LL cm (28 ... 54 cm)		
Seat height SH in cm	<input type="checkbox"/> approx. 47	<input type="checkbox"/> approx. 52	<input type="checkbox"/> approx. 57
(For 0° seat inclination, with seat cushion, depending on lower leg length) (Seat height less lower leg length equals ground clearance, a minimum of 6 cm is recommended)			
Seat height approx. 47 cm not possible with contour seat, large			
Seat height approx. 47 cm not possible in combination with electric seat tilt 45°!			
Seat height approx. 52 cm not possible with contour seat, large, in combination with mechanical seat tilt 20° and electric seat tilt 20°!			

Back adjustment			
ED 20	<input type="checkbox"/>	Mechanical back angle adjustment 30° (gas compression spring) (not possible in conjunction with the combination of contour seat, small, and seat depth 36 cm and 38 cm or contour seat, large, and seat depth 40 cm and 42 cm)	£416.00
ED 50	<input type="checkbox"/>	Electric back angle adjustment 30° (not possible in conjunction with the combination of contour seat, small, and seat depth 36 cm and 38 cm or contour seat, large, and seat depth 40 cm and 42 cm)	£688.00
Seat height adjustment			
EC 61	<input type="checkbox"/>	Electric seat height adjustment (up to 20 cm, seat inclination 0°) max. load capacity 140 kg/309 lbs in case of seat height adjustment; in combination with electric seat tilt 45° max. load capacity 100 kg/220 lbs	£1850.00
EC 60	<input type="checkbox"/>	Electric seat height adjustment (up to 30 cm, seat inclination 0°) only in combination with electric seat tilt 30° (EC 50), max. load capacity 90 kg/198 lbs	£1700.00
Seat tilt			
EC 51	<input type="checkbox"/>	Mechanical seat tilt 20° (gas compression spring)	£361.00
EC 50	<input type="checkbox"/>	Electric seat tilt 30° with centre of gravity shifting (seat inclination 0°) (only in combination with option EC 60 possible)	£695.00
EC 54	<input type="checkbox"/>	Electric seat tilt 45° with centre of gravity shifting (seat inclination 0°)	£695.00
Belts			
EP 65	<input type="checkbox"/>	Lap belt with buckle (standard equipment)	Inclusive
Seating system accessories			
EE 30	<input type="checkbox"/>	Adapter for headrest mounting kit	£35.00
EK 20	<input type="checkbox"/>	Headrest mounting kit	£87.00
EK 10	<input type="checkbox"/>	Headrest	£119.00
Footrests			
EB 01	<input type="checkbox"/>	Individual footrests, with plastic footplates (standard equipment) not available with Junior standard seat	Inclusive
EB 02	<input type="checkbox"/>	Individual footrests, with aluminium footplates (continuously angle-adjustable)	£98.00
EB 07	<input type="checkbox"/>	Without footrest	Inclusive
EB 20	<input type="checkbox"/>	Mechanically elevating footrests with leg length adjustment and aluminium foot-plates (angle-adjustable) (gas compression spring) LL from 27 cm for standard seat, from 32 cm for contour seat; max. load capacity: 140 kg/309 lbs	£501.00
EB 50	<input type="checkbox"/>	Electrically elevating footrests with leg length adjustment and aluminium footplates (B400 with VR2 simult. controllable, B400 advanced with R-net separately and simult. con-trollable) LL from 27 cm for standard seat, from 32 cm for contour seat	£1360.00
Armrest			
EE 05	<input type="checkbox"/>	Armrest, standard, with clothing protector (standard equipment) not available with Junior standard seat	Inclusive
EE 10	<input type="checkbox"/>	Telescoping armrest with clothing protector	Inclusive
Frame colour			
047	<input type="checkbox"/>	Black (CDP) (standard equipment)	Inclusive
022	<input type="checkbox"/>	Cream white 9001 (standard equipment)	Inclusive
013	<input type="checkbox"/>	Jet black RAL 9005 matt	£113.00
016	<input type="checkbox"/>	Silver metallic	£113.00
023	<input type="checkbox"/>	White RAL 9016	£113.00
021	<input type="checkbox"/>	Sparkle granny-smith	£113.00
010	<input type="checkbox"/>	Marine blue	£113.00

020	<input type="checkbox"/>	Saturn blue metallic	£113.00
005	<input type="checkbox"/>	Sparkle light orange	£113.00
004	<input type="checkbox"/>	Ice blue	£113.00
001	<input type="checkbox"/>	Brilliant silver	£113.00
018	<input type="checkbox"/>	Signal red RAL 3001	£113.00
002	<input type="checkbox"/>	Anthracite metallic	£113.00
027	<input type="checkbox"/>	Shimano matte	£113.00
003	<input type="checkbox"/>	Jet black RAL 9005	£113.00
009	<input type="checkbox"/>	Vinho sparkle	£113.00
017	<input type="checkbox"/>	Yellow RAL 1023	£113.00
012	<input type="checkbox"/>	Sky blue	£113.00
014	<input type="checkbox"/>	Candy red	£113.00
026	<input type="checkbox"/>	Sparkling iron effect light	£113.00
037	<input type="checkbox"/>	Pink	£113.00

Caster wheel/drive wheel

EF 01	<input type="checkbox"/>	9" caster wheel/14" drive wheel (standard equipment)	Inclusive
EF 05	<input type="checkbox"/>	8" caster wheel/12 ½" drive wheel (max. load capacity 100 kg/220 lbs; only in combination with 6 km/h drive unit; only with grey tyres and black rims)	Inclusive

If you select the option EF 05 then the B400 is a category A power wheelchair according to DIN EN 12184.

Tyre colour

EG 03	<input type="checkbox"/>	Grey (black rim) (standard equipment)	Inclusive
EG 04	<input type="checkbox"/>	Black (grey rim)	Inclusive

Tyres

EG 55	<input type="checkbox"/>	Pneumatic tyres (standard equipment)	Inclusive
EG 60	<input type="checkbox"/>	Puncture-proof tyres for all wheels	Inclusive
EF 06	<input type="checkbox"/>	Puncture-proof tyres for caster wheels	Inclusive

Caster wheel options

EF 20	<input type="checkbox"/>	No suspension (standard equipment)	Inclusive
EF 02	<input type="checkbox"/>	Suspension	£192.00

Caster wheel accessories

EF 03	<input type="checkbox"/>	Mechanical caster swivel lock	£130.00
-------	--------------------------	-------------------------------	---------

Chassis options

EG 05	<input type="checkbox"/>	Suspension (standard equipment)	Inclusive
EG 20	<input type="checkbox"/>	No suspension	Inclusive

Chassis accessories

ES 08	<input type="checkbox"/>	Electrical light for footpaths (standard equipment from 01.04.2017) (not available in combination with ES 05)	Inclusive
ES 05	<input type="checkbox"/>	Electric lighting (not available in combination with EY40 and EY41)	£380.00
ES 03	<input type="checkbox"/>	Rear marker plate	£109.00
EA 10	<input type="checkbox"/>	Splash guard, complete	£182.00

Drive unit			
ET 01	<input type="checkbox"/>	6 km/h drive unit	Inclusive
ET 09	<input type="checkbox"/>	7.2 km/h drive unit (standard equipment)	Inclusive
ET 02	<input type="checkbox"/>	10 km/h drive unit	Inclusive
Batteries			
EU 08	<input type="checkbox"/>	Two 53 Ah (C5) AGM batteries (standard equipment)	Inclusive
EU 01	<input type="checkbox"/>	Two 63 Ah (C5) gel batteries (not available in combination with drive wheel suspension)	£325.00
EU 03	<input type="checkbox"/>	Without	Inclusive
Joystick module (B400 advanced)			
EY 40	<input type="checkbox"/>	Monochrome joystick module (standard equipment)	Inclusive
EY 43	<input type="checkbox"/>	Control panel "TEN" (with integrated Bluetooth-Function)	£618.00
Special controls (B400 advanced)			
EY 12	<input type="checkbox"/>	Input/output module (not possible in combination with EC61/EC54 and EC60/EC50)	£571.00
EY 13	<input type="checkbox"/>	Omni module	£944.00
Control panel holder			
EU 19	<input type="checkbox"/>	Standard control panel holder (standard equipment)	Inclusive
EU 20	<input type="checkbox"/>	Control panel holder, swing-away in parallel	£185.00
EU 18	<input type="checkbox"/>	Control panel holder, swing-away in parallel, height-adjustable	£228.00
Control panel holder mounting side			
	<input type="checkbox"/>	Right	
	<input type="checkbox"/>	Left	
Holder for Omni module (B400 advanced)			
EU 31	<input type="checkbox"/>	Holder for Omni module, standard (standard equipment for Omni module)	Inclusive
EU 32	<input type="checkbox"/>	Holder for Omni module with gooseneck	£218.00
EU 34	<input type="checkbox"/>	Holder for Omni Modul with gooseneck for tray (included)	£255.00
Control unit accessories			
EU 15	<input type="checkbox"/>	Attendant control	£531.00
Joystick top			
EU 23	<input type="checkbox"/>	Fork for tetraplegics, horizontal (adjustable for hand width 70 ... 90 mm)	£116.00
EU 24	<input type="checkbox"/>	Stick S80 (special joystick handle 80 mm)	£53.00
EU 25	<input type="checkbox"/>	Soft ball (black cover)	£95.00
EU 26	<input type="checkbox"/>	Ball top, small (diameter 43 mm)	£90.00
EU 27	<input type="checkbox"/>	Ball top, large (diameter 48 mm)	£110.00
EU 28	<input type="checkbox"/>	Joystick top, flexible, including ball top, large (Extension by 60 mm; control panel holder, swing-away, height-adjustable is recommended)	£215.00
EU 35	<input type="checkbox"/>	Soft ball, coloured (diameter 48 mm)	£46.00

General accessories		
EF 04	<input type="checkbox"/>	Curb climbing assist £72.00
ES 42	<input type="checkbox"/>	Luggage carrier (not possible in the option-combination EC50/EC60 and EC54/EC61) £118.00
ES 24	<input type="checkbox"/>	Pocket for mobile phone £24.00
ES 35	<input type="checkbox"/>	Trays, lateral swing-away (including installation accessories; cut-out for control panel must be adapted) £406.00
EA 60	<input type="checkbox"/>	Crutch holder £65.00
ES 38	<input type="checkbox"/>	Folding rearview mirror, mounting side left £90.00
ES 28	<input type="checkbox"/>	Folding rearview mirror, mounting side right £90.00
EZ 52	<input type="checkbox"/>	Tool kit with tyre pump £39.00
ES 60	<input type="checkbox"/>	Vehicle transportation kit (required for AMF anchor point system) Inclusive

Special options		
21187.002	<input type="checkbox"/>	Special dimensions for platform for seating shell £278.00
		(please order one of the following additional seating shell adapter) <input type="checkbox"/> Trapeziod Adapter (HR32043590) £117.00
20465.016	<input type="checkbox"/>	Standard back tube extension/shortening (available only in combination with special option 40405.002) POA
40405.002	<input type="checkbox"/>	Back upholstery for power wheelchairs with special length (available only in combination with special option 20465.016) POA
20465.011	<input type="checkbox"/>	Contour back with standard seat bottom or contour seat bottom with standard back POA
25142.001	<input type="checkbox"/>	Amputation legrest for power wheelchairs POA
19893.001	<input type="checkbox"/>	e-series wireless stop POA
60083.001	<input type="checkbox"/>	Extra large standard seat £141.00
20663.000	<input type="checkbox"/>	Contour seat, XL (SD 40...48cm, SW 50...56cm) (up to 200kg / 440lbs; seat cushion thickness 50mm) (not possible in combination with seat height 52cm) POA
22045.001	<input type="checkbox"/>	Attendant bracket for main controller (for use in combination with swing away controller) (not for use with Ten Controller) £205.00
26264.000	<input type="checkbox"/>	Footrest and Caster Fork in combination with Coloured Frame POA
13650.001	<input type="checkbox"/>	Black Tyre and Black Rim POA

Once printed this document is an uncontrolled version. Always check the download centre on our website ensure you have the most up to date version of this document.